


GCS **PROTECH**
ENGINEERING PVT LTD



Operating
Globally



www.gcsprotech.com

Table Of Content

Company Profile	02
Quality Policy	03
Honeywell Actuators	OF
HVAC Items	05-16
Diffusers and Grilles	06-07
Quadrant Handles	08
Spindles and Bushes	09
SS and Bronze Wintered Bush	10
Hardware Accessories	1J-12
Duct and Pipe Clamps	13
Customized Items	14
Nylon and Rubber Items	15
Gasket and Tapes	16
Constant Spring Force	17
Flexible Duct Connector	18
Insulation Items	
Glasswool Rolls /Boards/Sheets	19
Rockwool Rolls/Boards	20
Aluminium Extrusions	21
Laser Cutting & Bending	22
Sheet Metal Components	23-24
UL Listed Electrical Items	25-2B
UL Listed Flexible Conduiu/ pipes	25
UL Listed Flexible Connectors/Glands	25
UL Listed function Box	25
UL Listed Wires and Cables	26
Cable Trays Ladders & Raceways	27
Strut Channels and Threaded Rods	28
Other Items	
Coils and Sheets	29
GI, AI, SS Perforated Sheet	o
Pipe and Pipe Fittings	31
Wire Mesh	32

COMPANY PROFILE

GCS Protech Engineering Pvt. Ltd. is a dynamic company specializing primarily in the manufacturing and supply of Galvanized Steel, Mild Steel, Stainless Steel, and Aluminium products. Based in New Delhi, India, GCS has strong expertise in its product line and unwavering dedication.

Over the past few years, we have strengthened our foundation and expanded our presence to encompass customers across all GCC countries including the UAE, Saudi Arabia, Qatar, Oman, Bahrain, and Kuwait.




We specialize in both one-off and batch/mass production, equipped with advanced machinery and expertise to provide comprehensive fabrication and supply services. This enables us to consistently deliver high-quality products tailored to customer specifications.

Through continuous research and development led by our **engineering** staff, we continually enhance our processes, maintaining a cutting-edge position in our field. With the capability, skill, and determination to serve various industries such as Construction, HVAC, Plumbing, and Civil Engineering, we are committed to delivering excellence in manufacturing and supply.

QUALITY POLICY

At GCS Protech Engineering Pvt. Ltd., our primary goal is to uphold the highest standards of quality across all our business practices and operations without compromise. We are dedicated to continually enhancing our company's performance, ensuring we deliver superior, cost-effective products to our customers along with professional services."



Certificate of Registration 

This is to certify that Quality Management System of

GCS PROTECH ENGINEERING PVT. LTD.

J-4/1, J BLOCK, RAJOURI GARDEN, DELHI-110027, INDIA

Is in accordance with the requirement of the following standard

ISO 9001:2015
(Quality Management System)

for the following scope

MANUFACTURER, TRADERS & EXPORTERS OF GENERAL ENGINEERING & TECHNICAL ITEMS, FABRICATED PRODUCTS MADE OF GALVANISED SHEET, MILD STEEL STAINLESS STEEL, ALUMINIUM RUBBER, PLASTIC PRODUCTS AND ALSO DEALS IN PRODUCTS USED IN SOLAR, HVAC, ELECTRICAL, FIRE FIGHTING & PLUMBING PROJECTS


(IAF CODE 14,17 NACE CODE 22,25,33)

KSRQG240616303
Certificate Number

Initial Registration Date	03-06-2024	Certificate Expiry Date	02-06-2027
1 st Surveillance Date	03-08-2026	2 nd Surveillance Date	03-11-2026

CB-QM5-107


Authorized Signatory
KSR Certification LLP

This certificate remains the property of KSR and must be returned to KSR on Cancellation or Suspension of the certificate. Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organization.
To verify certificate, visit at: www.kscr certification.in
ADDRESS :: FIRST FLOOR, G-331, SECTOR - 63, NOIDA - 201301, INDIA





HONEYWELL ACTUATORS

Honeywell- Global Leader in Building Technology Products. We are an authorized channel partner for the supply of Honeywell Damper Actuator. We deal in all the models of HVAC Damper Actuator and Fire and Smoke Damper Actuator and Fire Damper Actuators.

HONEYWELL ACTUATORS MODELS

MS4604F1210
MS4609F1210
MS4620FA00S
MS4620F1203

MS8109F1010
MS8109F1210
MS8104F1210
MS8120F1002

MS8120F1200
MS8109F1210NM/U 9NM
MS4604F1210NM/U
MS4609F210NM/U



NON Spring Return
Actuators



Fire and Smoke
Damper Actuators



Spring Return
ACTUATORS



Honeywell Damper
Actuator MS8120



Honeywell MS4609F1210/B
Damper Actuator



MS4604F10J0/B
Honeywell Damper Actuator

ALUMINIUM DIFFUSERS


SQUARE DIFFUSER

- Available in various size—150 mm—600mm
- » Available in both Mill finish and Powder Coating.
- » Material-Aluminium
- » Can be customized as per client requirement.



DIFFUSER OUTER RING

- » Available in both Mill finish and Powder Coating.
- » Can be customized as per client requirement.



CIRCULAR DIFFUSER

- » Available in various size-150 mm-600mm
- e Available in both Mill finish and Powder Coating.
- a Material—Aluminium.
- Can be customized as per client requirement.



SWIRL DIFFUSER

- Available in various size—150 mm—600mm
- Available in both Mill finish and Powder Coating.
- ^ Material—Aluminium.
- Can be customized as per client requirement.



SWIRL DIFFUSER WITH FIXED CURVED BLADES

- Available in various size-250 mm—650 mm
- Available in both Mill finish and Powder Coating.
- Material-Aluminium
- Can be customized as per client requirement.



HELICAL SWIRL DIFFUSER

- Available in Slots—12,16,20,24,32,36,48
- < Sizes—395 mm -595 mm
- Available in both Mill finish and Powder Coating
- n Material—Aluminium
- x Can be customized as per client requirement

EYEBALL / 3ET NOZZLE DIFFUSER

- Available in various size—150 mm—400 mm
- Available in both Mill finish and Powder Coating
- Material-Aluminium
- Can be customized as per client requirement

3ET DIFFUSER/ MULTICONE 3ET DIFFUSER

- Available in various size—(Dia:250, 315, 380mm)
- Available in both Mill finish and Powder Coating
- Material—Aluminium
- Can be customized as per client requirement

SPOT DIFFUSER

- Available in various size—100 mm—450 mm
- « Available in both Mill finish and Powder Coating
- Material—Aluminium
- e Can be customized as per client requirement

PAN DIFFUSER)))

- Available in various size—150 mm—250 mm
- Available in both Mill finish and Powder Coating
- Material—Aluminium
- Can be customized as per client requirement


SLOT DIFFUSER y

- Available in 1,2,3,4,5,6,7,8 Slots
- Available in both Mill finish and Powder Coating
- « Material-Aluminium, Slot width 16mm, 20mm and 25 mm
- o Can be customized as per client requirement



GRILLES

- Mode out of extruded aluminium section
- Available in Powder coated /Anodized Finish
- e These can be customised as per Client's requirement.



- Made out of extruded aluminium section
- Available in Powder coated /Anodized Finish
- These can be customised as per Client's requirement.



- Mode out of extruded aluminium section
- Available in Powder coated /Anodized Finish
- These can be customised as per Client's requirement.



- **Made out of extruded aluminium section**
- Available in Powder **coated** /Anodized Finish
- **These can be customised as per Client's requirement.**



QUADRANT HANDLES

We provide Quadrant that are highly durable and made up from good quality materials to be used in Fire Dampers.

- High strength
- Very easy to install
- Economical
- Maximum durability



VCD QUADRANT HANDLE



VCD QUADRANT HANDLE (BOX TYPE)



VCD QUADRANT HANDLE HEAVY DUTY



ALUMINIUM LOCKING PLATE (L*R)



VCD QUADRANT HANDLE (CASTING) \varnothing



SPINDLES AND BUSHES




SPINDLES

We offer a comprehensive range of spindles customized to any size and thickness as per customer requirements.



BUSHES

We provide a variety of bushes in standard sizes as well as customized to meet customer requirements, including SS. bushes, plastic bushes, bronze and brass bushes.



BRONZE SINTERED BUSH



SS SINTERED BUSH



HARDWARE ACCESSORIES



M.S CAM SQUARE HOLE



M.S CAM STAR HOLE



M.S SQUARE FORGING PIN



M.S ROUND FORGING PIN



GASKET-BLACK



GASKET-WHITE



ALL NUT AND SCREW



CAGE NUTS



MSFD BLADE BRACKET



SPRING HOLDER-L+R



SHORT BRACKET L+R



ACCESS DOOR LOCK



S.S. SPRING



T CLIP



SPRING



ALUMINIUM LONG PIN



ALUMINIUM SHORT PIN



ALUMINIUM CAM




DAMPER SCREW



DAMPER DRIVE SET



DOOR HANDLE 4*5*6



M.S CLEAT



LOCK

HARDWARE ACCESSORIES



ZINC LEVER



'C TYPE LOCK



G.I FIXING STRAP



3ACK SHAFT GEAR
SUPPORT BIG



M.S BRACKET



SS SHEET SPRING




INSULATION PIN/
NAIL POST



3ACK SHAFT GEAR
SUPPORT SMALL



DAMPER DRIVE
SET



BUTTERFLY GEAR YET



END CLIP FOR 1/2"
ROUND BAGI



hiyohi oip cüoss
CONNECTING * WAY



GI SINGLE SKIN BRACKET




DAMPER CLIP



ALUMINIUM CAM



S.S RIVET



MS WIRE

DUCT & PIPE CLAMPS



CLEVIS HANGER

SADDLE CLAMP

SPRINKLER PIPE CLAMP



G CLAMP

NAIL CLAMP

RISER CLAMP

CUSTOMIZED ITEMS



SS3AMB SEAL




5 S SIDE SEAL




ALUMINIUM DRIVE PLATE



H. DAMPER-32MM



H. DAMPER-56MM



H. DAMPER-42MM

NYLON AND RUBBER ITEMS



NYLON ROUND GEAR



RUBBER GROMMET



NYLON TEE



RUBBER PANEL PIPE SLEEVES



DRAIN PIPE END CAP



NYLON DOOR HINGE



NYLON PRESSURE TESTING NOZZLE WITH CAP



PVC KNOB



PLASTIC SHAFT BEARING



RUBBER COIL FLAPPER




PLASTIC WINDOW VIEWING GLASS AND BOBBIN



NYLON BRIDGE HANDLE

GASKET & TAPES




CONSTANT FORCE SPRINGS

A constant force spring (also referred to as power springs or constant torque springs) is a roll of pre-stressed strip that exerts a nearly constant restraining force to resist uncoiling

Most Constant Force Springs are made from Stainless Steel; however, if your specific application requires a specialty metal or a finish. We are happy to work with you to customize any of the below specifications to meet your requirement

e Materials



- Wire Types, Specs & Size For Coiling
- Ends
- Manufacturing Services



FLEXIBLE DUCT CONNECTOR

We provide flexible duct connector that are available in a broad range of sizes and can be customized as per client requirement

- FABRIC DUCT CONNECTOR
- TDF DUCT CONNECTOR
- FLEXIBLE PVC DUCT CONNECTOR
- FLEXIBLE NEOPRINE DUCT CONNECTOR
- FLEXIBLE SILICONE DUCT CONNECTOR



GLASS WOOL

Ideal for a broad range of applications including HVAC duct insulation, commercial insulation, and industrial insulation, it ensures optimal thermal and acoustic performance in various settings




DIMENSION		
Item	Unit	index
Density	kg/m ³	10-48


"Item can be customized as per Client's specification."



DIMENSION		
Item	Unit	index

"Item can be customized as per Client's specification."






DIMENSION		
Item	Unit	index

Density	kg/m ³	24—64
Thickness	mm	20-150
Length	m	600—2400
Width	mm	600—1200

*Item can be customized as per client's specification.



ROCKWELL FEATURES

- Excellent thermal and acoustic insulation.
- Euro fire classification: A1.
- Saves energy and water repellent
- Environment friendly, no health hazard, asbestos free.

ROCKWELL ROLL

DIMENSION		
Item	Unit	index

Density	kg/m ³	40-140
Thickness	mm	25-150
Length	m	2.5-5
Width	mm	600—1200

*Item can be customized as per client's specification.

DIMENSION		
Item	Unit	index

Density	kg/m ³	10-48
Thickness	mm	25—200
Length	m	5—30
Width	mm	400—1300

*Item can be customized as per client's specification.




ALUMINIUM CASTING



ALUMINIUM EXTRUSIONS



LASER CUTTING AND BENDING



SHEET METAL COMPONENTS & HVAC ACCESSORIES

The Sheet Metal Parts we provide are designed to resist rust and maintain their quality for an extended period. Furthermore, these products can be effortlessly customized in various sizes and with diverse technical specifications to meet the specific needs of our buyers.



Note: - Any size and thickness can be customised as per client's requirement.
Available in GI, SS and Aluminium



SHEET METAL PRESSED & FORMED COMPONENTS

Our company's core strength lies in engineering, which is the foundation of every project we undertake. These sheet metal components are customized and engineered according to client's drawings and technical specifications.



PIPE/CONDUITS, FITTINGS/CONNECTORS, JUNCTION BOX AND CABLES

... BE. f?!, ,,, ,.

FLEXIBLE CONDUITS

Features:

- » Available in various sizes-1/4", 1", 1-1/4", J-1/2", 3/4", 3/8" etc.
- Available in GI, SS, Aluminium, with or without PVC Jocketing
- Certification— UL and CUL Listed,



CONNECTORS

Features:

- Thread— NPT, PG, PF and Metric
- Available in various sizes-1/4", 1", 1-1/4", J-1/2", 3/4", 3/8" etc.
- » Available in GI, SS, Aluminium and PVC



JUNCTION BOX

- Available in all the sizes, thickness, depth and Knockouts



CABLES

Our company is selling and trading all kinds of UL cUL, CSA, VDE, CCC, RoHS, and REACH certified high temperature wire and cable, for home appliances, lighting, medical equipment, office facilities, Industrial machines, motors & generators in accordance with the ISO9001, ISO14001 international standard and IATF16949 auto certification



FIBERGLASS BRAIDED SILICONE WIRE



FIBERGLASS BRAIDED SILICONE WIRE



XLPE WIRE



SILICONE WIRE



SILICONE WIRE



XLPE WIRE



FEP/PFA/PTFE/ETFE



FEP/PFA/PTFE/ETFE



MICA WIRE



PVC WIRE



PVC WIRE



MiPA WIRE

CABLE TRAYS

- Material—M.S, GI—hot dipped, SS,,èlu”m!in’ium
- ..Avoible.in voried’thickness, wió.th,..sizés and finish os per client's requirement.



CABLE LADDERS

- Material-M.S, GI-hot dipped, SS, Aluminium
- Available in varied thickness, width, sizes and finish as per client's requirement.




RACEWAYS

- a Material-M.S,'GI-hot dipped, SS, Alum.inium
- a Available in varied thickness, width,..sizes and finish as per client's requirement



STRUT CHANNEL



Note: Available in MS/GI,SS & Aluminium

THREADED RODS



Note: Available in MS/GI,SS & Aluminium


COILS & SHEETS

Our company provides varied range of Steel/ Aluminum/Galvanized Coils, Sheets, to benefit a large number of ventures.



STAINLESS STEEL COIL / SLIT COIL / STRIP / SHEETS

Note- Any Gauge, width, length, finish can be customized as per client requirement.





ALUMINIUM COIL / SLIT COIL / STRIP / SHEETS

Note- Any Grade, width, Length, finish can be customized as per client requirement.



GI COIL / SLIT COIL / STRIP / SHEETS




Note- Any Gauge, width, length, finish can be customized as per client requirement.



GI, AL, SS-PERFORATED SHEET & COILS

At our company, we offer a wide range of perforated sheet with holes in different sizes, material and patterns to meet our customer's needs.

These can be made in SS, Aluminium, Brass and Mild Steel as per customer's requirement.



PIPE & PIPE FITTINGS

PIPE

We are the leading supplier of wide range of Pipes in SS, CS and MS /GI, these pipes are available in various Qualities, wall thickness, finish, diameter and dimensions meet the customer's requirement.



SS PIPES



CS PIPES



MS/GI PIPES

PIPE FITTINGS

We provide various types of pipe fittings in SS, MS/GI to be used for different purposes and functions in plumbing systems. Some of them are REDUCER, TEE TYPE, CROSS TYPE COUPLING, UNIONS, ADAPTORS, O LET, PLUG, CAP, VALVE, FLANGES etc.



SS PIPE FITTINGS



CS PIPE FITTINGS





MS/GI PIPE FITTINGS



WIRE MESH



Available in Electro Galvanised, Hot Dipped, PVC Coated and customised in any thickness as per clients requirement

- Welded Wire Mesh
- Expanded Wire Mesh
- Diamond Mesh Lath






FOR FENCINGS WE OFFER

- Welded wire fences
- Barbed wire Woven
- Concertina wire
- Woven wire fences
- Expanded metal fences



ANGLE & CHANNEL





34/1, Rajouri Garden

New Delhi - 110027, INDIA

Tel/Fax : +91 11-25983549

Phone No. : +91-9811127769

Email : chetan@gcsprotech.com, sales@gcsprotech.com